



1642

A049 US

p#3

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner : Unassigned  
Group Art Unit : 1642  
Applicant : Jurg Tschopp  
Serial No. : 09/520,489  
Filing Date : March 8, 2000

RECEIVED

JUL 25 2000

For : APRIL- A NOVEL PROTEIN WITH GROWTH  
EFFECTS

New York, New York  
July 19, 2000

Hon. Assistant Commissioner  
for Patents  
Washington, D.C. 20231

TRANSMITTAL LETTER FOR  
INFORMATION DISCLOSURE STATEMENT

Sir:

Transmitted herewith is an Information Disclosure  
Statement in the above-identified application. This  
Statement is submitted:

- ☐ [ ] within three months of the application filing  
date;
- ☒ [X] more than three months from the application  
filing date but before the mailing date of  
the first Office Action on the merits.

In accordance with 37 C.F.R. § 1.97, submission of  
this Statement requires no fee. However, if for any reason  
a fee is due, the Commissioner is hereby authorized to



RECEIVED  
JUL 25 2000

charge payment of any fees required in connection with this  
Information Disclosure Statement to Deposit Account  
No. 06-1075. A duplicate copy of this letter is transmitted  
herewith.

Respectfully submitted,

*Jonathan M. Kaplan*

James F. Haley Jr. (Registration No. 27,794)  
Attorney for Applicant  
Jonathan M. Kaplan (Registration No. P-46,819)  
Agent for Applicant  
c/o FISH & NEAVE  
1251 Avenue of the Americas  
New York, New York 10020-1104  
Tel.: (212) 596-9000

I Hereby Certify that this  
Correspondence is being  
Deposited with the U.S.  
Patent Service as First  
Class Mail in an Envelope  
Addressed to: ASSISTANT  
COMMISSIONER FOR  
PATENTS  
WASHINGTON, D.C. 20231 on

*July 19, 2000*  
Claire J. Scintili  
*[Signature]*  
Signature of Person Signing



A049 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner : Unassigned  
Group Art Unit : 1642  
Applicant : Jurg Tschopp  
Serial No. : 09/520,489  
Filing Date : March 8, 2000  
  
For : APRIL- A NOVEL PROTEIN WITH GROWTH  
EFFECTS

New York, New York  
July 19, 2000

Hon. Assistant Commissioner  
for Patents  
Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Sir:  
Pursuant to 37 C.F.R. §§ 1.56 and 1.97, applicant  
hereby makes the following references of record in the  
above-identified patent application:

#### U.S. PATENT DOCUMENTS

5,176,996	1/5/93	Hogan et al.
5,264,564	11/23/93	Matteucci
5,256,775	10/26/93	Froehler
4,816,567	3/28/89	Cabilly et al.

#### FOREIGN PATENT DOCUMENTS

WO 99/50416	10/7/99	PCT	C12N	15/19
WO 97/33902	9/18/97	PCT	C07H	21/02

#### OTHER DOCUMENTS

Smith et al., 1993, CD30 Antigen, A Marker For Hodgkin's Lymphoma, Is A Receptor Whose Ligand Defines An Emerging Family Of Cytokines With Homology To TNF, Cell, 73:1349-1360

Smith, 1994, Virus Strategies For Evasion Of The Host Response To Infection, Trends In Microbiology, 2:81-88

Smith et al., 1990, A Receptor For Tumor Necrosis Factor Defines An Unusual Family Of Cellular And Viral Proteins, Science, 248:1019-1023

Kohno et al., 1990, A Second Tumor Necrosis Factor Receptor Gene Product Can Shed A Naturally Occurring Tumor Necrosis Factor Inhibitor, PNAS, 87:8331-8335

Loetscher et al., 1990, Molecular Cloning And Expression Of The Human 55kd Tumor Necrosis Factor Receptor, Cell, 61:351-359

Schall et al., 1990, Molecular Cloning And Expression Of A Receptor For Human Tumor Necrosis Factor, Cell, 61:361-370

Jones et al., 1989, Structure Of Tumor Necrosis Factor, Nature, 338:225-228

Eck et al., 1989, The Structure Of Tumor Necrosis Factor-Alpha at 2.6 Å Resolution, J. Biol. Chem., 264:17595-17605

Funakoshi et al., 1994, Inhibition Of Human B-Cell Lymphoma Growth By CD40 Stimulation, Blood, 83:2787-2794

- Brojatsch et al., 1996, CAR1, a TNFR-Related Protein, Is A Cellular Receptor For Cytopathic Avian Leukosis-Sarcoma Viruses And Mediates Apoptosis, Cell, 87:845-855
- Montgomery et al., 1996, Herpes Simplex Virus-1 Entry Into Cells Mediated By A Novel Member Of The TNF/NGF Receptor Family, Cell, 87:427-436
- Nagata, 1997, Apoptosis By Death Factor, Cell, 88:355-365
- Sytwu et al., 1996, The Roles of Fas/APO-1 (CD95) And TNF In Antigen-Induced Programmed Cell Death In T Cell Receptor Transgenic Mice, Immunity, 5:17-30
- Zheng et al., 1995, Induction Of Apoptosis In Mature T Cells By Tumour Necrosis Factor, Nature, 377:348-351
- Lee et al., 1996, T Cell Receptor-Dependent Cell Death Of T Cell Hybridomas Mediated By The CD30 Cytoplasmic Domain In Association With Tumor Necrosis Factor Receptor-Associated Factors, J. Exp. Med., 183:669-674
- Amakawa et al., 1996, Impaired Negative Selection Of T Cells In Hodgkin's Disease Antigen CD30-Deficient Mice, Cell, 84:551-562
- Vassalli, 1992, The Pathophysiology Of Tumor Necrosis Factors, Ann. Rev. Immunol., 10:411-452
- van der Krol et al., 1988, Modulation Of Eukaryotic Gene Expression By Complementary RNA or DNA Sequences, Biotechniques, 6:958-976
- Tracey, K., 1992, in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 255-273
- Waage, A., 1992, in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 275-283
- Roodman, G.D., 1992, in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 117-129
- Nakane, A., 1992, in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 285-292

Clark, I.A. et al., 1992, in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 303-328

Grau, G.E. et al., 1992, in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 329-340

Piguet, P.F., 1992, in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 341-354

Wong, G.H.W. et al., 1992, in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 371-381

Malik, S.T.A., 1992, in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 407-423

Fox, D.A., 1995, Biological Therapies: A Novel Approach To The Treatment Of Autoimmune Disease, Am. J. Med., 99:82-88

Goeddel, D. et al., 1986, Tumor Necrosis Factors: Gene Structure And Biological Activities, Cold Spring Harbor Symposium Quant. Biol., 51:597-609

Trinchieri, G., in Tumor Necrosis Factors. The Molecules And Their Emerging Role In Medicine, B. Beutler (ed), Raven Press, NY, p. 515-530

Tartaglia, L.A. et al., 1991, The Two Different Receptors For Tumor Necrosis Factor Mediate Distinct Cellular Responses, Proc. Natl. Acad. Sci. USA, 88:9292-9296

Tartaglia, L.A. and Goeddel, D.V., 1992, Two TNF Receptors, Immunol. Today, 13:151-153

Kriegler, M. et al., 1988, A Novel Form Of TNF/Cachectin Is A Cell Surface Cytotoxic Transmembrane Protein: Ramifications For The Complex Physiology of TNF, Cell, 53:45-53

Luettig, B. et al., 1989, Evidence For The Existence Of Two Forms Of Membrane Tumor Necrosis Factor: An Integral Protein And A Molecule Attached To Its Receptor, J. Immunol., 143:4034-4038

Ware, C.F. et al., 1995, in Pathways For Cytolysis, G.M. Griffiths and J. Tschopp (Eds.), Springer-Verlag, Berlin, Heidelberg, p. 175-218

- Paul, N.L. and Ruddie N.H., 1988, Lymphotoxin, Ann. Rev. Immunol., 6:407-438
- Crowe, P.D. et al., 1994, A Lymphotoxin-Beta-Specific Receptor, Science, 264:707-710
- Browning, J.L. et al., 1993, Lymphotoxin Beta, A Novel Member Of The TNF Family That Forms A Heteromeric Complex With Lymphotoxin On The Cell Surface, Cell, 72:847-856
- Browning, J.L. et al., 1995, Characterization Of Surface Lymphotoxin Forms, J. Immunol., 154:33-46
- De Togni, P. et al., 1994, Abnormal Development Of Peripheral Lymphoid Organs In Mice Deficient In Lymphotoxin, Science, 264:703-707
- Shanafelt M-C, et al., 1995, J. Immunol., 154:1683-1690
- Browning, J. and Ribolini, A., 1989, Studies On The Differing Effects Of Tumor Necrosis Factor And Lymphotoxin On The Growth Of Several Human Tumor Lines, J. Immunol., 143:1859-1867
- Browning, J. et al., 1996, Signaling Through The Lymphotoxin Beta Receptor Induces The Death Of Some Adenocarcinoma Tumor Lines, J. Exp. Med., 183:867-878
- Suda, T. et al., 1995, Expression Of The Fas Ligand In Cells Of T Cell Lineage, J. Immunol., 154:3806-3813
- Trauth, B.C. et al., 1989, Monoclonal Antibody-Mediated Tumor Regression By Induction Of Apoptosis, Science, 245:301-305
- Yonehara, S. et al., 1989, A Cell-Killing Monoclonal Antibody (Anti-Fas) To A Cell Surface Antigen Co-Downregulated With The Receptor Of Tumor Necrosis Factor, J. Exp. Med, 169:1747-1756
- Nagata, S. and Golstein, P., 1995, The Fas Death Factor, Science, 267:1449-1456
- Falk, M.H. et al., 1992, Expression Of The APO-1 Antigen In Burkitt Lymphoma Cell Lines Correlates With A Shift Towards A Lymphoblastoid Phenotype, Blood, 79:3300-3306
- Rieux-Laucat, F. et al., 1995, Mutations In Fas Associated With Human Lymphoproliferative Syndrome And Autoimmunity, Science, 268:1347-1349

Takahashi, T. et al., 1994, Generalized Lymphoproliferative Disease In Mice, Caused By A Point Mutation In The Fas Ligand, Cell, 76:969-976

Watanabe-Funkunaga, R. et al., 1992, Lymphoproliferation Disorder in Mice Explained by Defects in Fas Antigen That Mediates Apoptosis, Nature, 356:314-317

Galle, P.R. et al., 1995, Involvement Of The CD95 (APO-1/Fas) Receptor And Ligand In Liver Damage, J. Exp. Med., 182:1223-1230

Silvestris, F. et al., 1995, Autoreactivity In HIV-1 Infection: The Role Of Molecular Mimicry, Clin. Immunol. Immunopathol., 75:197-205

Katsikis, P.D. et al., 1995, Fas Antigen Stimulation Induces Marked Apoptosis of T Lymphocytes In Human Immunodeficiency Virus-Infected Individuals, J. Exp. Med., 181:2029-2036

Badley, A.D. et al., 1996, Upregulation Of Fas Ligand Expression By Human Immunodeficiency Virus In Human Macrophages Mediates Apoptosis Of Uninfected T Lymphocytes, J. Virol., 70:199-206

Wiley, S.R. et al., 1995, Identification And Characterization Of A New Member Of The TNF Family That Induces Apoptosis, Immunity, 3:673-682

Gauchat, J.F. et al., 1993, Human CD40-Ligand: Molecular Cloning, Cellular Distribution And Regulation Of Expression By Factors Controlling IgE Production, FEBS Lett., 315:259-266

Funakoshi, S. et al., 1994, Inhibition Of Human B-Cell Lymphoma Growth By CD40 Stimulation, Blood, 83:2787-2794

Allen, R.C. et al., 1993, CD40 Ligand Gene Defects Responsible For X-Linked Hyper-IgM Syndrome, Science, 259:990-993

Biancone, L. et al., 1995, Inhibition Of The CD40-CD40 Ligand Pathway Prevents Murine Membranous Glomerulonephritis, Kidney Int., 48:458-468

Mohan, C. et al., 1995, Interaction Between CD40 And Its Ligand gp39 In The Development Of Murine Lupus Nephritis, J. Immunol., 154:1470-1480

Ruby, J. et al., 1995, CD40 Ligand Has Potent Antiviral Activity, Nature Medicine, 1:437-441



Wang, Z. et al., 1995, Induction Of bcl-x by CD40 Engagement Rescues sIg-Induced Apoptosis In Murine B Cells, J. Immunol., 155:3722-3725

Cleary, A.M., et al., 1995, J. Immunol., 155:3329

Hess, S. and Engelmann, H., 1996, A Novel Function Of CD40: Induction Of Cell Death In Transformed Cells, J. Exp. Med., 183:159-167

Goodwin, R.G., et al., 1993, Molecular And Biological Characterization Of A Ligand For CD27 Defines A New Family Of Cytokines With Homology To Tumor Necrosis Factor, Cell, 73:447-456

Goodwin R.G. et al., 1993, Molecular Cloning Of A Ligand For The Inducible T Cell Gene 4-1BB: a Member Of An Emerging Family Of Cytokines With Homology To Tumor Necrosis Factor, Eur. J. Immunol., 23:2631-2641

Stein C.A. et al., 1988, Oligodeoxynucleotides As Inhibitors Of Gene Expression: A Review, Cancer Res, 48:2659-2668

Winter G. and Milstein C., 1991, Man-Made Antibodies, Nature, 349:293-299

Arulanandam A.R.N. et al., 1993, A Soluble Multimeric Recombinant CD2 Protein Identifies CD48 As A Low Affinity Ligand For Human CD2: Divergence Of CD2 Ligands During The Evolution Of Humans And Mice, J. Exp. Med., 177:1439-1450

Queen et al., 1989, A Humanized Antibody That Binds To The Interleukin 2 Receptor, Proc Natl. Acad Sci., 86:10029-10033

Leung D.W., et al., 1989, A Method For Random Mutagenesis Of A Defined DNA Segment Using A Modified Polymerase Chain Reaction, Technique, 1:11-15

Narang, S.A., 1983, DNA Synthesis, Tetrahedron, 39:3-22

Itakura K. et al., 1981, Chemical Synthesis And Application Of Oligonucleotides Of Mixed Sequence, Recombinant DNA, Proc 3<sup>rd</sup> Cleveland Sympos. Macromolecules, ed. AG Walton, Amsterdam: Elsevier, pp. 273-289

Itakura K. et al., 1984, Synthesis And Use Of Synthetic Oligonucleotides, Annu. Rev. Biochem., 53:323-356

Itakura K. et al., 1984, Expression In Escherichia coli Of A Chemically Synthesized Gene For The Hormone Somatostatin, Science, 198:1056-1063

Ike Y. et al., 1983, Solid Phase Synthesis Of Polynucleotides. VIII. Synthesis Of Mixed Oligodeoxyribonucleotides By The Phosphotriester Solid Phase Method, Nucleic Acid Res., 11:477-488

Scott J.K. et al., 1990, Searching For Peptide Ligands With An Epitope Library, Science, 249:386-390

Roberts B.L. et al., 1992, Directed Evolution Of A Protein: Selection Of Potent Neutrophil Elastase Inhibitors Displayed On M13 Fusion Phage, Proc. Natl. Acad. Sci., 89:2429-2433

Devlin J.J. et al., 1990, Random Peptide Libraries: A Source Of Specific Protein Binding Molecules, Science, 249:404-406

Cwirla S.E. et al., 1990, Peptides On Phage: A Vast Library Of Peptides For Identifying Ligands, Proc. Natl. Acad. Sci., 87:6378-6382

Adelman J.P. et al., 1983, In Vitro Deletional Mutagenesis For Bacterial Production Of The 20,000-Dalton Form Of Human Pituitary Growth Hormone, DNA, 2:183-193

Cunningham B.C. and Wells J.A., 1989, High-Resolution Epitope Mapping Of hGH-Receptor Interactions By Alanine-Scanning Mutagenesis, Science, 244:1081-1085

Crea R. et al., 1978, Chemical Synthesis Of Genes For Human Insulin, Proc. Natl. Acad. Sci. 75:5765-5769

Wells J.A. et al., 1985, Cassette Mutagenesis: An Efficient Method For Generation Of Multiple Mutations At Defined Sites, Gene, 34:315-323

Abreu-Martin, M.T. et al., 1995, Divergent Induction Of Apoptosis And IL-8 Secretion In HT-29 Cells In Response To TNF And Ligation Of Fas Ligand, J. Immunol., 155:4147-4154

Agematsu et al., 1995, CD27/CD70 Interaction Directly Drives B Cell IgG and IgM Synthesis, Eur J. Immunol., 25:2825-2829

Bodmer J.L., et al., 1997, TRAMP, A Novel Apoptosis-Mediating Receptor With Sequence Homology To Tumor Necrosis Factor Receptor 1 And Fas(APO-1/CD95), Immunity, 6:79-88

Browning J.L., et al., 1991, Lymphotoxin And An Associated 33-kDa Glycoprotein Are Expressed On The Surface Of An Activated Human T Cell Hybridoma, J. Immunol., 147:1230-1237

Browning J.L. et al., 1996, Preparation And Characterization Of Soluble Recombinant Heterotrimeric Complexes of Human Lymphotoxins alpha and beta, J. Biol. Chem., 271:8618-8626

Castro et al., 1996, Fas Modulation Of Apoptosis During Negative Selection Of Thymocytes Immunity, 5:617-627

Chen C-Y.A. and Shyu A-B., 1995, AU-Rich Elements: Characterization And Importance In mRNA Degradation, Trends In Biol. Sci. 20:465-470

Chicheportiche Y. et al., 1995, Identification In Mouse Macrophages Of A New 4Kb mRNA Present In Hematopoietic Tissues, Which Shares A Short Nucleotide Sequence With Erythropoietin mRNA, Biochem. Biophys. Res. Comm., 209:1076-1081

Chinnaiyan A.M. et al., 1996, Signal Transduction by DR3, A Death Domain-Containing Receptor Related To TNFR-1 And CD95, Science, 274:990-992

DeTogni P.D. et al., 1994, Abnormal Development Of Peripheral Lymphoid Organs In Mice Deficient In Lymphotoxin, Science, 264:703-707

DeBenedette M.A. et al., 1995, Role Of 401BB Ligand In Costimulation Of T Lymphocyte Growth And Its Upregulation On M12 B Lymphomas By cAMP, J. Exp. Med. 181:985-992

Degli-Esposti M.A. et al., 1997, Activation Of The Lymphotoxin Beta Receptor By Cross-Linking Induces Chemokine Production And Growth Arrest In A375 Melanoma Cells, J. Immunol., 158:1756-1762

Foy T.M. et al., 1996, Immune Regulation By CD40 And Its Ligand GP39, Ann. Rev. Immunol., 14:591-617

Gruss H-J et al., 1994, Pleiotropic Effects of The CD30 Ligand on CD30-expressing Cell Lines, Blood, 83:2045-2056

Gruss H-J and Dower S.K., 1995, Tumor Necrosis Factor Ligand Superfamily: Involvement In The Pathology Of Malignant Lymphomas, Blood, 85:3378-3404

Kitson J. et al., 1996, A Death-Domain-Containing Receptor That Mediates Apoptosis, Nature, 384:372-375

Pitti R.M. et al., 1996, Induction Of Apoptosis By Apo-2 Ligand, A New Member Of The Tumor Necrosis Factor Cytokine Family, J. Biol. Chem., 271:12687-12690



SmithC.A. et al., 1994, The TNF Receptor Superfamily Of Cellular And Viral Proteins: Activation, Costimulation, And Death, Cell, 76:959-962

Stüber E. and Strober W., 1996, The T Cell-B Cell Interaction Via OX40-OX40L Is Necessary For The T Cell-Dependent Humoral Immune Response, J. Exp. Med., 183:979-989

A copy of the aforementioned references, which are listed on the accompanying Form PTO-1449 (submitted in duplicate), are enclosed herewith.

Applicant requests that these references be (1) fully considered by the Patent and Trademark Office during the examination of this application; and (2) printed on any patent which may issue on this application. Applicant also requests that a copy of Form PTO-1449, as considered and initialed by the Examiner, be returned with the next communication.

An early and favorable action is respectfully requested.

Respectfully submitted,

I Hereby Certify that this Correspondence is being Deposited with the U.S. Postal Service as First Class Mail in an Envelope Addressed to: ASSISTANT COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231 on

July 19, 2000  
Signature of Person Signing

*Jonathan M. Kaplan*  
James F. Haley, Jr. (Reg. No. 27,794)  
Attorney for Applicants  
Jonathan M. Kaplan (Reg. No. P-46,819)  
Agent for Applicants  
c/o FISH & NEAVE  
1251 Avenue of the Americas  
New York, New York 10020  
Tel.: (212) 596-9000